



# PRODUCT SPECIFICATION DATA SHEET



## **BOSS SYNTHETIC BLEND 75W90 GL-4**

### **DESCRIPTION**

**BOSS LUBRICANTS SYNTHETIC BLEND 75W90 GL-4 GEAR LUBRICANTS** are thermally stable gear lubricants fortified with special extreme pressure additives for protection of manual transmissions and transaxles in passenger cars, light trucks, SUV's and vans. Formulated to be compatible with bronze or copper containing alloys found in synchronizers.

**BOSS LUBRICANTS SYNTHETIC BLEND 75W90 GL-4 GEAR LUBRICANTS** contain effective extreme pressure additives to protect against shock loading and wear. Foam inhibitors protect against oil aeration and foam, and special rust inhibitors are incorporated into **BOSS LUBRICANTS SYNTHETIC BLEND 75W90 GL-4 GEAR LUBRICANTS** to protect against corrosion that can result from condensation. **BOSS LUBRICANTS SYNTHETIC BLEND 75W90 GL-4 GEAR LUBRICANTS** are recommended for use in applications where an API GL-4 gear lubricant is specified.

### **FEATURES AND BENEFITS**

- Synthetic Blend Gear Lube meets or exceed all performance requirements
- For API GL-4 service designation
- Exceeds manufacturer's specifications for use in transmissions and transaxles that require a GL-4 gear lubricant
- Compatible with bronze or other copper alloys
- Provides outstanding wear and extreme pressure protection
- Excellent performance over a wide range of operating temperatures
- Protects against rust and corrosion

### ***Synthetic Blend Gear Lube Typical Properties***

	API Gravity	Pour Point, °C	Flash Point, °C	Viscosity Index	cST at 40°C	cST at 100°C	Density 15°C
SAE 75W-90	28.7	39C	C.O.C. 183C	190	87.56	15.56	0.8766Kg/L

Typical properties reflect general characteristics, not manufacturing specifications. Variations should be expected.

### **HEALTH & SAFETY**

A complete Material Safety Data Sheet is available upon request. Used oil contains by-products which may be harmful. Avoid prolonged or repeated skin contact. Wash clothing and exposed areas with soap and water. Don't pollute-return used oil to a collection center.