



BOSS Full Synthetic 0W16 Engine Oil

OVERVIEW

BOSS Full Synthetic 0W16 Engine Oil is a specially formulated product designed for superior fuel economy. It is produced using pure synthetic base oils and high-performance additive packages for superior performance benefits and fuel efficiency compared to other conventional and synthetic engine oils.

FEATURES and BENEFITS

BOSS Full Synthetic 0W16 Engine Oil has excellent oxidation stability for long lubricant life, low-temperature protection to prevent cold start wear, low volatility for reduced oil consumption, and increased resistance to viscosity breakdown. It specifically designed to inhibit incidents of LSPI (low-speed pre-ignition), a combustion event that can cause premature wear or catastrophic failure and to promote fuel economy savings and emissions reductions. **BOSS Full Synthetic 0W16 Engine Oil** protects against engine deposits, valve train wear, and help extend engine life longer than convention motor oils.

APPLICATIONS

BOSS Full Synthetic 0W16 Engine Oil meets the most demanding lubrication requirements of today's naturally aspirated, turbocharged, direct-injected, gasoline-fueled and flex-fueled engines. This oil is certified against the newest ILSAC category, GF-6B and **is not backwards compatible** to GF-5 or earlier certifications. It been engineered to for protection from LSPI events and is API "Resource Conserving" for impressive fuel economy gains.

SPECIFICATIONS

API SP, SN, SN PLUS • ILSAC GF-6B

TYPICAL PROPERTIES

PRODUCT CODES	743
SAE Viscosity Grade	0W-16
Viscosity Index	164
Viscosity @ 100 °C, cSt	7.4
Viscosity @ 40 °C, cSt	38.3
Viscosity, CCS, cP @ °C	4,500 (-40)
Pour Point, °C, max	-47
Flash Point, COC, °C, min	200

NOTE: VALUES SHOWN ABOVE ARE REPRESENTATIVE OF CURRENT PRODUCTION AND MAY VARY WITHIN MODEST RANGES

*In order to provide superior quality, BOSS Lubricants reserves the right to change composition of its products without notice.