

BOSSAMATIC SYNTHETIC ATF

This advanced formulation provides exceptional thermal stability and oxidation resistance while preventing the formation of deposits in immersed clutches. Synthetic ATF allows for outstanding compatibility with the joints, enhanced anti-wear, anti-corrosion and anti-foaming characteristics while maintaining a very high cold fluidity grant jolt free operation in having excessive slip in all temperatures and speeds.

TYPICAL PROPERTIES	BOSSAMATIC ATF
DENSITY @ 15°C	0.867
KINEMATIC VISCOSITY CST @ 40°C	36
KINEMATIC VISCOSITY CST @ 100°C	7.2
VISCOSITY INDEX (D2270)	169
BROOKFIELD VISCOSITY @ -40°C	N/A
FLASH POINT (D92), °C	N/A
POUR POINT (D97), °C	-55
COLOUR	N/A

*NOTE: VALUES SHOWN ABOVE ARE REPRESENTATIVE OF CURRENT PRODUCTION AND MAY VARY WITHIN MODEST RANGES

In order to continue to provide superior quality, BOSS LUBRICANTS reserves the right to change composition of it's products without notice. For the location of the Distributor nearest you, please call 1-800-844-9457. BOSS LUBRICANTS #112, 6303 30th Street S.E. Calgary, AB T2C 1R4





BOSSAMATIC SYNTHETIC ATF

APPLICATIONS

RECOMMENDED FOR ALL AUTOMATIC TRANSMISSIONS, POWER SHIFTS AND HYDRAULIC SYSTEMS FOR:

- DEXRON®III
- MERCON V

In order to continue to provide superior quality, BOSS LUBRICANTS reserves the right to change composition of it's products without notice. For the location of the Distributor nearest you, please call 1-800-844-9457. BOSS LUBRICANTS #112, 6303 30th Street S.E. Calgary, AB T2C 1R4



BOSSAMATIC SYNTHETIC ATF

APPLICATIONS

RECOMMENDED FOR ALL AUTOMATIC TRANSMISSIONS, POWER SHIFTS AND HYDRAULIC SYSTEMS FOR:

- ATF+3
- AUTOMATIC GEAR BOXES
- HYDRAULIC CLUTCHES
- FORD MERCON® (N°M-990808)
- MAN 339 TYPE F
- NISSAN
- RENAULT DP0, SU0
- ZF TE-ML 14B, 16L
- TOYOTA T, T4
- MITSUBISHI DIAMOND SPII, SPIII FLUIDS
- HYUNDAI
- ATF+4
- POWER SHIFT TRANSMISSIONS
- POWER-ASSISTED STEERING SYSTEMS
- GENERAL MOTORS DEXRON III® (N° G-34080)
- MERCEDES BENZ PAGE 236.5
- NISSAN-J MATIC
- VOITH 55.6335.32
- HONDA ACURA 21 (EXCEPT CVTS)
- LEXUS II FLUIDS
- BMW LT71141/LA2634 FLUIDS

MEETS THE REQUIREMENTS OF PASSENGER CAR MANUFACTURERS FOR THE "NEW GENERATION" AUTOMATIC GEAR BOXES:

- PEUGEOT
- AUDI
- BMW
- CITROEN
- VOLKSWAGON
- PORSCHE

In order to continue to provide superior quality, BOSS LUBRICANTS reserves the right to change composition of it's products without notice. For the location of the Distributor nearest you, please call 1-800-844-9457. BOSS LUBRICANTS #112, 6303 30th Street S.E. Calgary, AB T2C 1R4

